



COLD PROTECTIVE RANGE



EUTL9W20



- Waterproof
- Certified EN511 cold protection
- MANOSUN designed impact resistant pads offering extra softness, flexibility and comfort
- Thicker but softer anti-impact pads guaranteeing greater impact protection than others
- Waterproof shell design keeping hands dry and warm in cold working condition
- The dotted palm provides excellent grip in both dry, oily and wet working environments
- Sanitized® hygiene function offers increased freshness and protection from bacteria

Industries: Utilities, Oil & Gas, Construction, Renewable Energy, Offshore Exploration



Article No.	Palm	Cuff	Colour	Size	Length	CE
EUTL9W20	Silicon	Neoprene	Hi-vis Yellow/Black	8-12	240-280mm	Cat. II

EUWF5G20



- Inherently flame resistant (both inner layer and outer layer)
- Certified Arc Flash Protection (ATPV Arc level 3 as per new standard ASTM F2675-19)
- Superb protection from Arc, Flame, Heat and Cut
- White print on the back offering extra protection
- Brushed acrylic terry guaranteeing warmth
- Extra flexibility and dexterity minimizing hand fatigue
- Multiple launderings while keeps the same performance
- MANOSUN Coating Technology ensuring a better grip and longer glove life

Industries: Utilities, Oil & Gas, Electronics,
Automotive, Maintenance, Hot Handling,
Circuit Boards, Renewable Energy



Article No.	Gauge	Coating	Colour	Size	Length	CE
EUWF5G20	13	Bi Polymer	Black	7-12	230-280mm	Cat. III

EUWD1320



- Waterproof & windproof
- Superb protection from cut, cold and contact heat
- Brushed acrylic terry guaranteeing warmth
- Excellent flexibility, dexterity and durability
- Latex coating design providing extra grip in both dry and wet working conditions

Industries: Utilities, Recycling, Construction, Groundworks, FLT Operations, Refuse Collection




Article No.	Gauge	Coating	Colour	Size	Length	CE
EUWD1320	15/10	Latex	Blue	7-11	230-270mm	Cat. II

EUWN6020



- FDA approved
- EU compliance (EN1186 Part 3 certified)
- Waterproof & industrial oil repellent
- Superb combined protection from cut, cold and contact heat
- Brushed acrylic terry guaranteeing warmth
- Excellent flexibility, dexterity and durability
- Micro-foam finish guaranteeing super grip in both dry, oil and wet working conditions

Industries: Utilities, Recycling, Construction, Groundworks, FLT Operations, Refuse Collection



Article No.	Gauge	Coating	Colour	Size	Length	CE
EUWN6020	15/10	Nitrile	Orange/Black	8-11	240-270mm	Cat. II

EUWL6G20



- 10 gauge brushed blended liner guaranteeing excellent cold resistance and providing extra comfort & softness compared with the standard 7 gauge in the market
- EN ISO13997 cut C and ANSI cut A3 certified
- Micro-foamed finish providing excellent grip, particularly to slippery object handling
- Great flexibility, dexterity and fitting
- Sanitized® hygiene function ensuring increased freshness and protection from bacteria
- Multiple wash-ability and cut level remains
- Available in 3/4 coating (EUWL4620) for more protection

Industries: Utilities, Recycling, Construction, Cold Storage
Groundworks, FLT Operations, Refuse Collection



Article No.	Gauge	Coating	Colour	Size	Length	CE
EUWL6G20	10	Latex	Black	7-12	230-280mm	Cat. II